

|   | Type | L # | Hits  | Search Text                   | DBs   |
|---|------|-----|-------|-------------------------------|---|
| 1 | BRS  | L1  | 2856  | handheld near device          | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 2 | BRS  | L2  | 71746 | user near interface           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 3 | BRS  | L3  | 148   | mathematical near object      | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 4 | BRS  | L4  | 255   | scroll near cursor            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 5 | BRS  | L5  | 2     | selection near sub-expression | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |

|   | Issue Date | Pages | Title   | Document ID          | Current OR |
|---|------------|-------|---|----------------------|------------|
| 1 | 20030227   | 7     | Interactive object transformation based expert system for symbolic mathematics on a handheld device | US 20030041078<br>A1 | 708/162    |
| 2 | 20030227   | 8     | Selection of mathematical objects from the history screen on a handheld device                      | US 20030038784<br>A1 | 345/168    |

|    | Type | L # | Hits  | Search Text                   | DBs   |
|----|------|-----|-------|-------------------------------|---|
| 1  | BRS  | L1  | 2856  | handheld near device          | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 2  | BRS  | L2  | 71746 | user near interface           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 3  | BRS  | L3  | 148   | mathematical near object      | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 4  | BRS  | L4  | 255   | scroll near cursor            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 5  | BRS  | L5  | 2     | selection near sub-expression | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 6  | BRS  | L6  | 1841  | electronic near calculators   | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 7  | BRS  | L7  | 202   | mathematics near teaching     | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 8  | BRS  | L8  | 199   | history near screen           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 9  | BRS  | L9  | 2     | 3 and 8                       | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 10 | BRS  | L13 | 2     | "symbolic math guide"         | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 11 | BRS  | L14 | 1319  | 345/168.ccls.                 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 12 | BRS  | L15 | 540   | 341/20.ccls.                  | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |

|    | Type | L # | Hits | Search Text                         | DBs   |
|----|------|-----|------|-------------------------------------|---|
| 13 | BRS  | L16 | 1509 | 341/22.ccls.                        | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 14 | BRS  | L17 | 69   | 708/109.ccls.                       | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 15 | BRS  | L18 | 324  | (708/130-131).ccls.                 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 16 | BRS  | L19 | 376  | (708/142).ccls.                     | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 17 | BRS  | L20 | 3661 | 14 or 15 or 16 or<br>17 or 18 or 19 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 18 | BRS  | L21 | 259  | directional near<br>keys            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 19 | BRS  | L22 | 94   | modifier near keys                  | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 20 | BRS  | L23 | 1    | 21 and 22                           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |

|    | Type | L # | Hits  | Search Text                   | DBs   |
|----|------|-----|-------|-------------------------------|---|
| 1  | BRS  | L1  | 2856  | handheld near device          | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 2  | BRS  | L2  | 71746 | user near interface           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 3  | BRS  | L3  | 148   | mathematical near object      | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 4  | BRS  | L4  | 255   | scroll near cursor            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 5  | BRS  | L5  | 2     | selection near sub-expression | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 6  | BRS  | L6  | 1841  | electronic near calculators   | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 7  | BRS  | L7  | 202   | mathematics near teaching     | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 8  | BRS  | L8  | 199   | history near screen           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 9  | BRS  | L9  | 2     | 3 and 8                       | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 10 | BRS  | L13 | 2     | "symbolic math guide"         | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 11 | BRS  | L14 | 1319  | 345/168.ccls.                 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 12 | BRS  | L15 | 540   | 341/20.ccls.                  | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |

|    | Type | L # | Hits | Search Text                         | DBs   |
|----|------|-----|------|-------------------------------------|---|
| 13 | BRS  | L16 | 1509 | 341/22.ccls.                        | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 14 | BRS  | L17 | 69   | 708/109.ccls.                       | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 15 | BRS  | L18 | 324  | (708/130-131).ccls.                 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 16 | BRS  | L19 | 376  | (708/142).ccls.                     | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 17 | BRS  | L20 | 3661 | 14 or 15 or 16 or<br>17 or 18 or 19 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 18 | BRS  | L21 | 259  | directional near<br>keys            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 19 | BRS  | L22 | 94   | modifier near keys                  | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 20 | BRS  | L23 | 1    | 21 and 22                           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 21 | BRS  | L24 | 314  | (345/684-687).ccls.                 | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 22 | BRS  | L25 | 5343 | scroll and cursor                   | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 23 | BRS  | L26 | 3965 | 20 or 24                            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |
| 24 | BRS  | L27 | 246  | 25 and 26                           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM TDB |

|    | Type | L # | Hits | Search Text                 | DBs   |
|----|------|-----|------|-----------------------------|---|
| 25 | BRS  | L28 | 1470 | copy near object            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 26 | BRS  | L29 | 257  | paste near object           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 27 | BRS  | L30 | 24   | graphing near<br>calculator | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 28 | BRS  | L31 | 692  | 345/440.ccls.               | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 29 | BRS  | L32 | 240  | (345/440.1).ccls.           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 30 | BRS  | L33 | 72   | (345/440.2).ccls.           | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 31 | BRS  | L34 | 950  | 31 or 32 or 33              | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 32 | BRS  | L35 | 2    | 4 and 6                     | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 33 | BRS  | L36 | 48   | 21 and 25                   | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |
| 34 | BRS  | L37 | 0    | 24 and 25 and 30            | USPAT; US-PGPUB;<br>EPO; JPO; DERWENT;<br>IBM_TDB |